

Oracle Communications Operations Monitor



END-TO-END NETWORKING VISIBILITY AND MONITORING

KEY FEATURES

- End-to-end call correlation and analytics in real time
- Segmentation of the network path for fast and accurate problem localization
- On-demand troubleshooting down to the individual subscriber, customer, or employee
- Media quality analysis, including R-Factor and MOS scores
- Unparalleled insight into and analysis of signaling messages
- Embedded software to eliminate need for additional monitoring equipment in the network
- Intuitive and simple GUI

KEY BENEFITS

- Utilizes Oracle SBC's integrated monitoring capabilities
- Reduces operational costs
- Increases service quality
- Offers unrivaled functionality
- Improves overall efficiency
- Eliminates need for individual or bulk provisioning
- Provides full visibility into user activity in real time
- Usable in IP communication networks from any vendor

As a proactive call monitoring solution, Oracle Communications Operations Monitor captures and analyzes all required signaling messages and media from the network, providing full correlation and quality metrics in real time. It also enables easy-to-use, drill-down troubleshooting for root-cause analysis of any reported problem related to a user, user group, trunk, network device, or Internet Protocol (IP) address.

Overview

Oracle Communications Operations Monitor is part of the Oracle Communications Session Monitor product family, an end-to-end network visibility and monitoring software system that increases the ROI of Long Term Evolution (LTE), IP Multimedia Subsystem (IMS), voice over IP (VoIP), and unified communications (UC) deployments and provides an unprecedented view of the network for both operations management and in-depth troubleshooting. Oracle Communications Session Monitor products enable enterprises and service providers to quickly and securely deploy IP communications networks, reduce operational costs, generate additional revenue and minimize churn. It is a proven, carrier-grade solution for enterprise networks and fixed and mobile service providers, with more than 200 deployments globally, including many tier-1 service providers.

Oracle Communications Session Monitor products capture all signaling messages from the network, using network probes linked to an unrivaled correlation engine, with the results viewable through a web-architected GUI. Network probes are available as Oracle Communications Session Monitor probes that run on commercial-off-the-shelf (COTS) hardware and as software components that are integrated into Oracle's session border controller (SBC) service delivery platforms. Oracle Communications Session Monitor products are a 100 percent passive, nonintrusive solution that is vendor-agnostic and supports any next-generation network architecture.

Oracle Communications Operations Monitor offers full, end-to-end correlation of all calls in real time. It enables network-wide views of calls and registrations as well as global KPIs and statistics, network equipment statistics and information, and user group and trunk information. It offers drill-down into the network, providing diagrammatic call flow analyses with full protocol details, raw capturing, and registrations end to end.

Major Advantages

Oracle Communications Operations Monitor offers many advantages to service providers and enterprises. For example, it

ORACLE COMMUNICATIONS SESSION MONITOR FAMILY

Oracle Communications Session Monitor products are a robust network intelligence solution that helps service providers and enterprises to improve productivity and efficiency by providing a high-level overview of what is actually happening in their networks. Using Oracle Communications Session Monitor products with Oracle's network session delivery and control infrastructure products allows service providers and enterprises to get the most out of their IP communications networks with unique, real-time management capabilities. Network operators can move beyond individual element management and benefit from real-time, network-wide visibility into multi-vendor IP communications networks.

RELATED PRODUCTS

- Oracle Enterprise Operations Monitor
- Oracle Communications Performance Intelligence Center

- **Reduces operational costs.** With Oracle Communications Operations Monitor, staff members work more efficiently by saving time on problem identification and resolution. Comprehensive and accurate reports on problems lead to easier, faster communication with vendors and partners, and monitoring efforts are minimized when KPIs of the application and network layers are leveraged
- **Increases service quality.** Potential issues are identified before service is affected. Network operations personnel can easily browse through the application layer behavior to identify problems beyond device statistics
- **Enhances efficiency.** With Oracle Communications Operations Monitor, it is possible to perform safer configuration changes and introduce new equipment into the network more efficiently. Oracle Communications Operations Monitor also enables a dramatic decrease in the time required to close tickets and facilitates reporting on service availability with applications layer statistics.
- **Offers unrivaled functionality.** Oracle Communications Operations Monitor offers real-time correlation of all calls and it offers flexible, network-wide, specific KPIs and statistics. It is designed with real operations tasks and problems in mind and provides real-time and historical tracing
- **Improves overall efficiency.** Oracle Communications Operations Monitor's fast and easy troubleshooting drastically reduces the mean time to close support tickets and increases customer satisfaction through direct, fast, effective assistance. Many reported issues can be closed directly in first-line support through a quick customer experience overview
- **Doesn't require provisioning.** All information is gathered automatically for all users, and new users are visible immediately after connecting to the network. SBC configurations including SIP devices, trunks, and hostnames are automatically imported. There is no need to perform individual or bulk provisioning of user information, so deployment can take place in days
- **Provides comprehensive views of customer experiences.** Network operators gain full visibility into user activity in real time, improving operational efficiency and enabling proactive management of the customer experience
- **Delivers shortened incident response times.** Swift and efficient troubleshooting reduces trouble ticket closure times and increases customer satisfaction through immediate and responsive assistance
- **Is vendor-independent.** All Oracle Communications Session Monitor products can be deployed in IP communication networks from any vendor, and they're fully agnostic in terms of monitored networks
- **Is cloud capable.** Data transmission links from probes to Oracle Communications Session Monitor products can be secured using TLS and because the connection is initiated from the probes ensures that they can work through NAT and firewalls

Monitoring and Analysis Features

Multiple Site and Network Protocol Call Correlation

Calls can be correlated and analyzed across multiple network sites and protocols (such as Session Initiation Protocol (SIP), H.248, Diameter, ENUM, or SIGTRAN, depending on licensed features), providing full, end-to-end visibility into the network. Network operators are able to track back data for a single call—identifying the caller and call recipient, their IP addresses, the number of call segments, the call flow diagram, the call status, and all detailed call information.

KPI Analysis

Oracle Communications Operations Monitor comes with a full range of KPIs for voice

network monitoring, addressing service accessibility, retention, and integrity that can be aggregated by service, site, and customer. All KPIs can be accessed in real time through the Oracle Communications Session Monitor products web interface and through Simple Network Management Protocol (SNMP) and (optionally) an extensive API based on the REST standard.




Figure 1: KPIs can be measured and monitored in real time through a customizable GUI

Network Tracing

Oracle Communications Operations Monitor provides real-time and historical call and transaction tracing facilities, with drill-down to sequence diagrams showing signaling transactions and media sessions (with the Media Quality extension) for each call across the entire network. Each step of the call can be viewed and analyzed to assess issues.

Network Alerts

Network issues and alerts for numerous issues, such as poor voice quality or slow responses, can be established with configurable network and service KPI alarm thresholds, and the alerts can be viewed instantly through a configurable dashboard. Dashboard graphs can include transit and response times, the number of registered users, the number of error calls, and so on. Alerts can be exported to network management systems with SNMP traps.

Call Logs

Oracle Communications Operations Monitor provides a list of all active and finished calls for the full network as well as a filter capability to identify problematic calls for further analysis. This explorative approach enables operations staff to browse the network at the application level.

Troubleshooting Features

IP Decoding and Filtering

This feature enables network operators to see a packet-by-packet view. The full IP packet exchange between each network element can be analyzed for better troubleshooting and voice and video issue location. Not only is the overall packet loss of one call provided but the frequency of the packet losses (burst packet loss) is also provided so operations staff can better understand the impact of voice and video quality

issues.

Media Recording

Oracle Communications Operations Monitor may be used to record media from a particular user for later playback for further quality analysis. The recorded media may include audio, video, text, image, messages, and even T.38 fax transmissions.

In-Depth, Root-Cause Analysis

Oracle Communications Operations Monitor enables users to drill down from the network level to localize root-cause issues at the element, customer, device type, and end-user levels. Bidirectional data capture enables network operators to quickly locate on which part of the network a message has not been sent and whether the defective side was the intended recipients or the callers.

Automated Alias Detection

Different aliases are aligned automatically for a customer, based on end-to-end call correlation and topology. Manual tweaking is also possible. This is especially important for large network topologies in which different numbering and addressing schemes implement complex routing decisions.

Live User Search

The right user can be found quickly with live user search functionality, and only part of the phone number is needed. Additionally, a deep link access is possible, which is useful for connecting to third-party products such as call center solutions or umbrella network monitoring tools. With a single click in these systems, network operators can jump right into Oracle Communications Session Monitor products with the corresponding user already preselected. It takes only seconds to view the current and past situation of a customer at a glance, with no provisioning required.

Call Drill-Down

Oracle Communications Operations Monitor enables drill-down to the signaling level and to voice parameters (it requires the Media Quality extension). It provides the call and media session information end-to-end and makes it easy to identify the root cause of a signaling or media issue. If needed, the full details of all protocol messages are as available as the exporting to packet capture (PCAP) format for communication with vendors and other departments. Oracle Communications Operations Monitor can be used in conjunction with existing tracing and troubleshooting tools and scripts, including widely used open source tools such as Wireshark.




Figure 2: Network Operators can analyze call message flows to proactively identify and correct voice quality issues

Ease-of-Use and Interoperability Features

Simple and Intuitive GUI

The user interface is designed for efficient daily use and serves beginners and advanced users equally well. Important information is easy to spot, and more in-depth information is available on intuitive links. Almost no training is required, and existing staff can work on next-generation networks from the start. Oracle Communications Operations Monitor provides value from the day of deployment and increases personnel skills by enabling efficient training on the job. As a fully web-based solution, it minimizes infrastructure and maintenance efforts.

Open Operation and Business Support Systems (OSS/BSS) Interfaces

Oracle Communications Operations Monitor is easily integrated with third-party umbrella management systems and other OSS/BSS solutions via the standard SNMP interface or the optional REST Remote API extension for Oracle Communications Operations Monitor for tighter integration scenarios, such as traces, calls, registrations, KPIs, and user experience information.

Call Detail Record (CDR) Generation

The optional CDR Generation feature of Oracle Communications Operations Monitor provides end-to-end call detail records for processing by third-party systems or for statistical analysis. These CDRs contain additional information detailing network segments the call has traversed and voice quality information. Through Oracle Communications Session Monitor products' unique call correlation functionality for all calls, the CDRs can also be a valuable resource for business intelligence solutions.

Dashboards

Oracle Communications Operations Monitor comes with a dashboarding tool for producing a range of charts and graphs to display, track, and record traffic data. It also provides a data export facility for offline reporting tools, enabling raw data to be exported into PCAP, comma-separated values (CSV), and PDFs. All reporting information can be made available through the optional REST API for automated machine processing.




Figure 3: Oracle Communications Operations Monitor includes a dashboarding tool for producing a range of charts for displaying, tracking, and recording traffic

Additionally, call data content and incidents can be exported in CSV format for post-processing in desktop applications. Internal tagging of customer experience information can help facilitate internal communications between all departments accessing Oracle Communications Operations Monitor dashboards.

Service Dashboards

Color-coded dashboards enable problems to be recognized at a glance. Statistics on recent calls can include:

- Successes versus failures
- Voice quality information (requires the Media Quality extension)
- Call history with detail information
- Drill-down into protocol details for all recent calls

User Equipment Dashboards

The end device details for each user include

- Recently used devices
- Brand, type, and firmware information
- IP address information
- Network address translation (NAT) information
- Recent working and failed registrations
- Concurrent device usage

Statistics Dashboards

The statistics and KPIs provided for a single subscriber include

- Distribution of calls by destination
- Call success rate
- Average call length
- Average number of calls per day
- Ratio of incoming versus outgoing calls
- Average mean opinion score (MOS) value

Statistical information is important for better understanding customer behavior and estimating the overall service quality for each customer. For service providers, these statistics also provide an opportunity to up-sell according to usage patterns, such as flat rates or packages.

Add-on Extensions

You can enhance Oracle Communications Operations Monitor by purchasing optional add-on extensions to leverage additional functionality. The following optional extensions enhance the performance of Oracle Communications Operations Monitor and provide a customized solution tailored to specific user requirements:

- The Mediation Engine Connector extension simplifies the management of multiple Mediation Engine monitoring nodes and maximizes the benefits of Oracle Communications Operations Monitor in multiple locations. It provides an overview of the data collected by the mediation engines, offering a global dashboard and implementing global KPIs. The global search and drill-down features of the Mediation Engine Connector enable network operators to scale the troubleshooting features of Oracle Communications Operations Monitor across multiple sites. Operations personnel can rapidly gain an understanding of the overall status of the global network while obtaining the ability to drill down to troubleshoot issues
- The Media Quality extension enables the retrieval and processing of media quality information from Real-time Transport Protocol (RTP) traffic and from reporting customer premises equipment
- The App Support extension adds support for customer-specific applications and provides additional functionality that integrates seamlessly into the web application. It enables customers to develop custom functionality that is unique to their needs or not yet available in Oracle Communications Session Monitor products
- The REST Remote API extension provides an open interface to Oracle Communications Session Monitor products, so third-party applications can access real-time and historical data. The internal data—including raw and aggregated data such as traces, calls, registrations, KPIs, and user experience information—can then be exposed to third-party systems
- The CDR Generation extension generates CDRs for successful and failed calls, based on Oracle Communications Operations Monitor's end-to-end call correlation
- The SS7/SIGTRAN Protocol extension extends the set of supported signaling protocols with M2UA, M2PA, M3UA, and ISUP, in the context of SIP/ISUP calls and registrations
- The Gateway Control Protocol extension extends the set of supported signaling protocols with the relevant gateway control protocols, H.248, and Media Gateway Control Protocol (MGCP)
- Gateway control protocols are frequently used in IMS/LTE and heterogeneous networks
- The Diameter Protocol extension provides Diameter protocol support, including full correlation with call signaling protocols. Diameter is widely used in IMS/LTE networks, and this feature supports the IMS Cx interface with the Home Subscriber Server (HSS)
- The ENUM Protocol extension enables support for the processing of ENUM messages

End-to-End LTE – IMS Monitoring

Oracle Communications Performance Intelligence Center (OCPIC) is a network monitoring solution that provides comprehensive monitoring and troubleshooting

capabilities for telecom networks including Diameter and ISUP protocols. Oracle Communications Operations Monitor may be set up to send call detail and media quality records to OCPIC. This integration between the two products results in the following benefits when viewing the network from OCPIC:





- Voice quality information including MOS scores to call information
- End-to-end LTE and IMS monitoring and troubleshooting including VoLTE services
- Full view of packet-switched voice to circuit-switched handover process



CONTACT US

For more information about Oracle Communications Operations Monitor, visit oracle.com or call +1.800.ORACLE1 to speak to an Oracle representative.

CONNECT WITH US

-  blogs.oracle.com/oracle
-  facebook.com/oracle
-  twitter.com/oracle
-  oracle.com

Integrated Cloud Applications & Platform Services

Copyright © 2016, Oracle and/or its affiliates. All rights reserved. This document is provided for information purposes only, and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document, and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group. 2.14.2017